

**Tables** » Dining Height Tables



Collection: Urban

Designed by: Botton + Gardiner

**Tables** » Dining Height Tables





Solid Powder-Coat

Medium Bronze

Kinetic Flat

Solid Powder-Coat

Coffee Satin

Solid Powder-Coat

Cove Satin

Solid Powder-Coat

Monument Matt

Textured Powder-

Coat Core Ten

Textured Metallic

**Tables** » Dining Height Tables



Textured Powder-Coat Asteroid Textured Metallic




Textured Powder-Coat Bass Textured Metallic



Textured Powder-Coat Textura Black



Textured Powder-Coat Textura Monument



Textured Powder-Coat Textura White



Signature Powder-Coat Deep Ocean Satin



Signature Powder-Coat Wedgewood Satin



Signature Powder-Coat Mangrove Satin



Signature Powder-Coat Territory Red Satin




Signature Powder-Coat Claypot Satin



Signature Powder-Coat Paperbark Satin



Bold Powder-Coat Bondi Blue Gloss



Bold Powder-Coat Leaf Satin



Bold Powder-Coat Sensation Gloss



Bold Powder-Coat Lobster Satin



**Bold Powder-Coat** Moonlight Satin



**Tables** » Dining Height Tables

Timeless post table design. Hardwood, Duraslat™ XG, aluminium battens with an elegant cast aluminium frame in 27 powder-coat finishes or polished.

### Description

Referencing Paris's famous wrought ironwork, curved cast aluminium framing is complemented by muscular hardwood, Duraslat™ XG or aluminium surfaces to offer a timeless Urban post table. Finishes include 5 hardwood, 5 Duraslat™ XG or 3 aluminium colours and 27 powder-coat finishes or a polished aluminium finish. Urban is close to our heart; a classic, elegant, and highly functional collection that works in almost any public space.

Made In

Australia

**Dimensions** 

Hardwood

1800mmW x 740mmD x 730mmH

Duraslat™ XG

1600mmW x 740mmD x 730mmH

Aluminium | Alugrain

2000mmW x 740mmD x 730mmH

Batten Type

Hardwood

Blackbutt, Spotted Gum, Mixed Red -

Pine, Mahogany, Ebony Oil

Duraslat™ XG

Ravine, Cave, Alcove, Boulder, Dune

Aluminium | Alugrain

Clear Anodised, Driftwood, Spotted Gum

Frame

Cast aluminium in a powder-coat or polished finish

Post: powder-coated galvanized steel, colour to match frame

specification or silver to coordinate with the polished aluminum finish

**Tables** » Dining Height Tables

Powder Coat Core

White (satin), Black (satin), Charcoal (satin), Palladium Silver (satin), Matt

Black (matt), Pearl White (gloss)

Solid

Coffee (satin), Cove (satin), Monument (matt), Medium Bronze Kinetic

Textured

Core Ten (textured metallic), Asteroid (textured metallic), Bass (textured metallic), Textura Black (textured), Textura Monument (textured), Textura

White (textured)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bondi Blue (gloss), Leaf (satin), Sensation (gloss), Lobster (satin),

Moonlight (satin)

Certified Hardwood Sustainability

All hardwood is sourced from sustainable forests certified by the

Program for the Endorsement of Forest Certification (PEFC), the world's

largest forestry certification system.

Recycled Materials

We locally source our aluminium. It means we know it uses recycled

content and is 100% recyclable.

Duraslat™ XG is made from 90% of recycled hardwood fibres and reclaimed plastic materials, which reduces demand for virgin materials.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds

(VOCs) and has Environmental Product Declarations (EPDs).

5-year warranty. View the warranty for more details. Warranty

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Post fixed by others - surface, sub-surface or core-holed. Anchors not Fixing Detail

included.

**Tables** » Dining Height Tables

### How to Specify Select your length

Select your batten finish Select your frame finish Select your fixing type

### Care Instructions

### Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

#### Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

### Duraslat™ XG

Cleaning

Simply wash down occasionally. Do not use high pressure cleaners.

### Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

# Additional Comments

Opt to add umbrella hole + flange or outdoor power and GPOs to make your settings flexible outdoor working zones, ideal for universities and schools.