Seating » Benches



Collection: Urban

Designed by: Botton + Gardiner

Seating » Benches





Hardwood Spotted Gum UV-Resistant Oil



Hardwood Merbau **UV-Resistant Oil** 



Hardwood Mixed Red UV-Resistant Oil Clear



Hardwood Mixed Red UV-Resistant Oil Mahogany



Hardwood Mixed Red UV-Resistant Oil Ebony



Duraslat™ XG Ravine



Duraslat™ XG Cave



Duraslat™ XG Alcove



Duraslat™ XG Boulder



Duraslat™ XG Dune



Clear Anodised Aluminium



Alugrain Driftwood



Alugrain Spotted Gum



Core Powder-Coat White Satin



Core Powder-Coat Black Satin



Core Powder-Coat Charcoal Satin



Core Powder-Coat Palladium Silver Satin



Core Powder-Coat Matt Black Matt



Core Powder-Coat Pearl White Gloss



Solid Powder-Coat Coffee Satin



Solid Powder-Coat Cove Satin



Solid Powder-Coat Monument Matt




Solid Powder-Coat Medium Bronze Kinetic Flat



Textured Powder-Coat Core Ten Textured Metallic

Seating » Benches





Seating » Benches

Curved bench around planter. Hardwood, Duraslat™ XG, aluminium battens with an elegant cast aluminium frame in 27 powder-coat finishes or polished.

### Description

Referencing Paris's famous wrought ironwork, curved cast aluminium framing is complemented by muscular hardwood, Duraslat™ XG or aluminium surfaces to offer a timeless Urban curved bench design athat fits round a planter. Ideal for outdoor and indoor use, they make great pause points, which are a more unique than your average bench that integrate with plants for a touch of greenery. Finishes include 5 hardwood or 5 Duraslat™ XG colours and 27 powder-coat finishes or a polished aluminium finish. Urban is close to our heart; a classic, elegant, and highly functional collection that works in almost any public space.

### Made In

Australia

#### **Dimensions**

Standard curved bench sizes with GRC planters

Small: 1860mm DIA Large: 2360mm DIA Seat height: 440mm Seat depth: 420mm

\*\*Radius can be customised if you have an existing pot - minimum outer

radius possible is 1000mm

### Batten Type

Hardwood

Blackbutt, Spotted Gum, Mixed Red -

Pine, Mahogany, Ebony Oil

Duraslat™ XG

Ravine, Cave, Alcove, Boulder, Dune

Aluminium | Alugrain

Natural, Driftwood, Spotted Gum

### Frame

Cast aluminium in a powder-coat or polished finish

GRC cylinder planter: glass-fibre reinforced concrete

Seating » Benches

### Powder Coat Core

White (satin), Black (satin), Charcoal (satin), Palladium Silver (satin), Matt

Black (matt), Pearl White (gloss)

Solid

Coffee (satin), Cove (satin), Monument (matt), Medium Bronze Kinetic

(flat)

Textured

Core Ten (textured metallic), Asteroid (textured metallic), Bass (textured metallic), Textura Black (textured), Textura Monument (textured), Textura

White (textured)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Bold

Bondi Blue (gloss), Leaf (satin), Sensation (gloss), Lobster (satin),

Moonlight (satin)

### Sustainability

Certified Hardwood

All hardwood is sourced from sustainable forests certified by the

Program for the Endorsement of Forest Certification (PEFC), the world's

largest forestry certification system.

Recycled Materials

We locally source our aluminium. It means we know it uses recycled content and is 100% recyclable.

content and is 100% recyclable.

Duraslat™ XG is made from 90% of recycled hardwood fibres and reclaimed plastic materials, which reduces demand for virgin materials.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds

(VOCs) and has Environmental Product Declarations (EPDs).

Warranty

5-year warranty. View the warranty for more details.

Lead Time

6-8 weeks

Assembly & Delivery

Some basic assembly may be required to bolt modules together if using

benches loose as a full ring (hardware supplied).

Seating » Benches

Fixing Detail Urban range fixed mounting options:

Threaded rod

Threaded rod + shims

Offset tab

Urban range freestanding use options:

Loose footpad Loose glides

How to Specify Select your size

Select your batten finish Select your frame finish

Select your pot and finish (if required)

Select your fixing type

### Care Instructions

#### Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

### Duraslat™ XG

Cleaning

Simply wash down occasionally. Do not use high pressure cleaners.

### Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.

# Additional Comments

Optional skate stoppers available to discourage skater damage to your furniture.