Seating » Benches



Collection: Urban

Designed by: Botton + Gardiner



Seating » Benches

Hardwood Blackbutt UV-Resistant Oil	Hardwood Spotted Gum UV-Resistant Oil	Hardwood Merbau UV-Resistant Oil	Hardwood Mixed Red UV-Resistant Oil Clear	Hardwood Mixed Red UV-Resistant Oil Mahogany
Hardwood Mixed Red	Duraslat™ XG Ravine	Duraslat™ XG Cave	Duraslat™ XG Alcove	Duraslat™ XG
UV-Resistant Oil Ebony				Boulder
Duraslat™ XG Dune	Clear Anodised Aluminium	Alugrain Driftwood	Alugrain Spotted Gum	Core Powder-Coat White Satin
Core Powder-Coat Black Satin	Core Powder-Coat Charcoal Satin	Core Powder-Coat Palladium Silver Satin	Core Powder-Coat Matt Black Matt	Core Powder-Coat Pearl White Gloss
Solid Powder-Coat Coffee Satin	Solid Powder-Coat Cove Satin	Solid Powder-Coat Monument Matt	Solid Powder-Coat Medium Bronze Kinetic Flat	Textured Powder- Coat Core Ten Textured Metallic




PUBLIC SPACE FURNITURE

Seating » Benches



bottongardiner.com.au 1300 762 701 | info@bottongardiner.com.au



Seating » Benches

Mitred bench around planter. Hardwood, Duraslat™ XG, aluminium battens with an elegant cast aluminium frame in 27 powder-coat finishes or polished.

Description	Referencing Paris's famous wrought ironwork, curved cast aluminium framing is complemented by muscular hardwood, Duraslat <sup>™</sup> XG or aluminium surfaces to offer a timeless Urban mitred classic bench that fits round a planter. Ideal for outdoor and indoor use, they make great pause points, which are more unique than your average bench that integrate with plants for a touch of greenery. Finishes include 5 hardwood or 5 Duraslat <sup>™</sup> XG colours and 27 powder-coat finishes or a polished aluminium finish. Urban is close to our heart; a classic, elegant, and highly functional collection that works in almost any public space.
Made In	Australia
Dimensions	Standard mitred bench sizes with GRC planters Rectangle: 1330mmW x 2430mmD Square: 1750mmW x 1750mmD Seat height: 440mm Seat depth: 420mm
Batten Type	Hardwood Blackbutt, Spotted Gum, Mixed Red - Pine, Mahogany, Ebony Oil Duraslat™ XG Ravine, Cave, Alcove, Boulder, Dune
	Aluminium   Alugrain Natural, Driftwood, Spotted Gum
Frame	Cast aluminium in a powder-coat or polished finish <u>GRC rectangle planter</u> : or <u>GRC square planter</u> : Glass-fibre reinforced concrete



Seating » Benches

Powder Coat	Core White (satin), Black (satin), Charcoal (satin), Palladium Silver (satin), Matt Black (matt), Pearl White (gloss)		
	Solid Coffee (satin), Cove (satin), Monument (matt), Medium Bronze Kinetic (flat)		
	Textured Core Ten (textured metallic), Asteroid (textured metallic), Bass (textured metallic), Textura Black (textured), Textura Monument (textured), Textura White (textured)		
	Signature Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red (matt), Claypot (satin), Paperbark (satin)		
	Bold Bondi Blue (gloss), Leaf (satin), Sensation (gloss), Lobster (satin), Moonlight (satin)		
Sustainability	Certified Hardwood All hardwood is sourced from sustainable forests certified by the Program for the Endorsement of Forest Certification (PEFC), the world's largest forestry certification system.		
	Recycled Materials We locally source our aluminium. It means we know it uses recycled content and is 100% recyclable.		
	Duraslat™ XG is made from 90% of recycled hardwood fibres and reclaimed plastic materials, which reduces demand for virgin materials.		
	Low Pollutants Our powder-coating process doesn't emit Volatile Organic Compounds (VOCs) and has Environmental Product Declarations (EPDs).		
Warranty	5-year warranty. View the <u>warranty</u> for more details.		
Lead Time	6-8 weeks		
Assembly & Delivery	Some basic assembly may be required to bolt modules together if using benches loose as a full ring (hardware supplied).		

Seating » Benches

Fixing Detail	Urban range fixed mounting options: Threaded rod Threaded rod + shims Offset tab Urban range freestanding use options: Loose footpad Loose glides
How to Specify	Select your size Select your batten finish Select your frame finish Select your pot and finish (if required) Select your fixing type
Care Instructions	<u>Hardwood</u> Cleaning Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.
	Oiling Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.
	To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.
	<u>Duraslat™ XG</u> Cleaning Simply wash down occasionally. Do not use high pressure cleaners.
	<u>Powder-Coat</u> Cleaning Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.
	Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.
	Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.
	Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.
Additional Comments	Custom lengths and planters available. Optional skate stoppers available to discourage skater damage to your furniture.