Seating » Benches




Collection: Prospect

Designed by: Botton + Gardiner

Seating » Benches



Seating » Benches



Seating » Benches

Robust truss bench design. Battens in 5 hardwood and 5 Duraslat™ XG colours and an asymmetrical steel frame in 27 powder-coat or galvanised finishes.

Description

Featuring striking asymmetrical forms and robust materials that are based on our competition-winning designs for the Western Sydney Parklands Trust, the Prospect truss bench is ideal for parkland and urban environments. The functional and light appearance of the truss bench features an asymmetrical steel frame that grounds the design. Flnishes include 5 hardwood and 5 Duraslat™ XG batten colours and 27 powdercoat finishes or a galvanised finish to suit many outdoor spaces.

Made In

Australia

Dimensions

Hardwood

1600mmW x 290mmD x 450mmH

Duraslat™ XG

1600mmW x 290mmD x 450mmH

Batten Type

Hardwood

Spotted Gum, Mixed Red -Pine, Mahogany, Ebony Oil

Duraslat™ XG

Ravine, Cave, Alcove, Boulder, Dune

Frame

Hot-dip galvanised or powder-coated steel

Powder Coat

Core

White (satin), Black (satin), Charcoal (satin), Palladium Silver (satin), Matt Black (matt), Pearl White (gloss)

Coffee (satin), Cove (satin), Monument (matt), Medium Bronze Kinetic

(flat)

Textured

Core Ten (textured metallic), Asteroid (textured metallic), Bass (textured metallic), Textura Black (textured), Textura Monument (textured), Textura

White (textured)

Signature

Deep Ocean (satin), Wedgewood (satin), Mangrove (satin), Territory Red

(matt), Claypot (satin), Paperbark (satin)

Rold

Bondi Blue (gloss), Leaf (satin), Sensation (gloss), Lobster (satin),

Moonlight (satin)

Seating » Benches

Sustainability	Certified Hardwood
----------------	--------------------

All hardwood is sourced from sustainable forests certified by the

Program for the Endorsement of Forest Certification (PEFC), the world's

largest forestry certification system.

Recycled Materials

We locally source our steel. It means we know it uses recycled content

and is 100% recyclable.

Duraslat™ XG is made from 90% of recycled hardwood fibres and

reclaimed plastic materials, which reduces demand for virgin materials.

Low Pollutants

Our powder-coating process doesn't emit Volatile Organic Compounds

(VOCs) and has Environmental Product Declarations (EPDs).

Warranty 5-year warranty. View the <u>warranty</u> for more details.

Lead Time 6-8 weeks

Assembly & Delivery Shipped fully assembled on pallets.

Fixing Detail Surface or sub-surface fixed by others. Anchors not included.

How to Specify Select your batten finish

Select your frame finish

Seating » Benches

Care Instructions

Hardwood

Cleaning

Remove any loose surface deposits with a soft bristled brush and wipe down with fresh water and a non-abrasive cloth.

Oiling

Oiling of timber will postpone natural greying, repel moisture, improve mould resistance, help maintain a smooth surface texture and enhance the grain and colour.

To maintain, lightly sand rough areas of timber and brush on one coat of timber decking oil every 6 months or as required.

Duraslat™ XG

Cleaning

Simply wash down occasionally. Do not use high pressure cleaners.

Powder-Coat

Cleaning

Carefully remove any loose surface deposits with a wet sponge or soft bristled brush.

Use a soft (non-abrasive) cloth or brush and a diluted solution of mild detergent and warm water.

Ensure surfaces are thoroughly rinsed with clean fresh water after cleaning to remove all residues.

Never use thinners, abrasive cleaning agents, alcohol-based, acid or alkali cleaning agents.